

## PRE-INCIDENT BUILDING SURVEY

Date of Assessment: Building Name:		
Bui	Building Marshal Name: Phone Ext:	
1.	APPROXIMATE BUILDING POPULATION (STUDENTS/FACULTY/STAFF)	
Fal	Fall/Spring:	
Wii	Winter/Summer:	
2.	EXITS/EXIT ROUTES	
	All exit routes are clear of any obstructions	
	Exit routes are clearly marked (illuminated or reflective)	
	All exit doors are unlocked from building interior and can be opened with ease	
3.	AREA OF REFUGE (NOT APPLICABLE IN ALL BUILDINGS)	
	Building has an area of refuge	
	Area of refuge is clear of any obstruction	
	Clearly labeled "Area of Refuge" signage is present and in good condition	
	Describe location/floor of area of refuge:	
4.	FIRE EXTINGUISHERS	
	Minimum of 1 fire extinguisher on each building floor, and are located along paths of normal pedestrian flow (intuitive locations)	
	No fire extinguishers are obstructed in any way	
	Tamper indicator is not missing or broken, no signs of damage or leakage	
	Operating instructions are clearly visible	
	Number of fire extinguishers located in your building:	
5.	EMERGENCY INFORMATION POSTER	
<u>J.</u>	LINERGENOT INFORMATION FOSTER	
	At least one current emergency information poster is located on each building floor	
	All posters are in good condition	

## 6. EVAC+CHAIR(S) (APPLICABLE IN MULTI-FLOOR BUILDINGS) All EVAC+CHAIRS in my building appear to be in good condition (mounted on wall with slip cover present and placard above chair) Number of EVAC+CHAIRS located in your building: \_\_\_\_\_\_ 7. HAZARDOUS MATERIALS Hazardous materials are stored in my building Clearly visible signage/placards are present within 15-ft. of hazardous material storage or rooms where they are present/used (i.e. labs) I am aware of the following hazardous materials stored/utilized in by building: \_\_\_ 8. CLASSROOM/OFFICE DOORS ☐ All classroom/office doors have the potential to lock from the inside 9. RALLY POINT ☐ I am aware of the location for my building/area's rally point ANY ADDITIONAL HAZARDS OBSERVED **NOTES**

Please submit a copy of your completed survey to Allyson.Joy@csulb.edu